

Direct Vent Gas Fireplace Series





ELITE BL 21

Le foyer Élite BL21 est unique en son genre, aucun autre foyer linéaire sur le Marché nous offre autant de sophistication pour un prix aussi réaliste. Le BL21 a tout du style moderne contemporaine linéaire mais pour un Prix raisonnable.

Media: White Glass and River Pebbles

BL21
 High 21,000BTU's
 Low 13,000BTU's
 Framing Dim:
 33-1/2"H x 38"W x 15-1/2"D
 Internal Ceiling = Min 48"
 Mantle Height = 40"
 See page 8 for Dimensional info.
 *Safety Screen built into surround

Options and Accessories
 See bottom of page



ELITE BLST 21

Sur le marché des foyers 36 po deux faces linéaire, ce foyer est le plus mince, Adaptable et abordable à ce jour avec 11 po de profondeur de cadrage. Pourquoi se contenter de 22 po quand l'espace est si précieux ...

Media: White Glass and River Pebbles

BLST21 See-Thru
 High 20,000BTU's
 Low 13,000BTU's
 Framing Dim:
 32"H x 39-1/2"W x 10-7/8"D
 Internal Ceiling = Min 40"
 Mantle Height = 40"
 See page 8 for Dimensional info.
 *Safety Screen built into surround

Options and Accessories
 See bottom of page



MEDIA ACCESSORIES



BCF 36

Vous pouvez avoir tout ce que vous cherchez dans un foyer sans aucun Sacrifice. L'Élite BCF36 est le premier foyer de son genre, pleine vision et Seulement 13 po de profond. Maintenant vous pouvez apprécier le style et L'élégance d'un foyer contemporain sans perdre la performance.

Media: White Glass and River Pebbles

High 19,000BTU's

Low 13,000BTU's

Framing Dim:

32-1/2"H x 36"W x 13"D

Internal Ceiling = Min 48"

Mantle Height = 40"

See page 8 for Dimensional info.

*Safety Screen attached to surround

Log Set

- Log set w/Extended Burner

or

-White Glass and River Pebbles

Linear burner

Options and Accessories

See bottom of pages



DCF 42

Fabriqu  pour  tre au centre de votre d cor, le DCF42 est un foyer moderne Pleine vision avec son style avant-garde. Avec 42 de longueur, il se d marquera Dans tous les d cors. Le 30,000 BTU au maximum et un 22,000 BTU au minimum.

Media: West Coast Log Set

High 30,000BTU's

Low 22,000BTU's

Framing Dim:

43"H x 45-3/4"W x 19-1/2"D

Internal Ceiling = Min 66"

Mantle Height = 50"

Options and Accessories

See bottom of pages

West Coast Log Set Only

See page 8 for Dimensional info.

*Safety Screen attached to surround

AVAILABLE SYSTEMS:

STANDING PILOT

- BCF 36
- BL936

ELECTRONIC IGNITION

- BCF 36 & BL 936 OPTION
- Standard all other Elite units

DELUSE SYSTEM *(SEE BOTTOM PAGE 4 FOR DETAILS)

- BCF 36 Option
- Elite Series Option
- Standard in all Limited Series
- Not available on BL 936

SURROUND:

Basic Black



Decorative Black



Decorative Stainless Steel





ESSENCE 42

Il y a aucun linéaire sur le marché d'aujourd' hui qui vous offre autant d'options Standard que l'Essence 45 à ce prix. L'Essence nous arrive équipée de L'ensemble Deluxe incluant l'allumeur électronique, un ensemble de ventilateur (2), une valve modulante Et un thermostat programmable 7 jours ajustant la flamme à 7 niveaux et le ventilateur à 6 niveaux haut ou bas.

Media: Black Glass and Grey Pebbles

High 30,000BTU's
Low 22,000BTU's
Framing Dim:
39"H x 48-1/4"W x 16-1/2"D
Internal Ceiling = Min 58"
Mantle Height = 42"
See page 9 for Dimensional info.
*Safety Screen built into surround

Deluxe System Only
- Porcelain Panels included

Options and Accessories
See bottom of pages



PINNACLE 55

Le Pinnacle 55 est le foyer 55 po linéaire qui sera le point de mire de votre pièce avec ses Panneaux de porcelaine et le « Deluxe System » vous ne pouvez pas passer à côté d'un prix Aussi raisonnable incluant 36,000 BTU qu'on peut baisser à 21,000BTU, Un système de Chauffage très versatile.

Media: Black Glass and Grey Pebbles

High 36,000BTU's
Low 21,000BTU's
Framing Dim:
39"H x 58-1/2"W x 17-1/2"D
Internal Ceiling = Min 58"
Mantle Height = 45"
See page 9 for Dimensional info.
*Safety Screen built into surround

Deluxe System Only
- Porcelain Panels included

Options and Accessories
See bottom of pages



MEDIA ACCESSORIES



SUMMIT 65

Le Summit 65 est notre nouvelle extension du foyer Pinnacle 55 linéaire avec 10 po de plus.

Le Summit65 prend tout ce que nous aimons du Pinnacle et va un peu plus loin. En le fabricant Avec une flamme extraordinaire et en augmentant à un agréable 38,000BTU, donc un foyer Qu'on allume et on laisse en fonction, Incroyable pour un foyer linéaire. En plus, seulement 17-1/2 de profondeur de cadrage ...

Media: Black Glass and Grey Pebbles

High 38,000BTU's

Low 27,000BTU's

Framing Dim:

39"H x 68-1/4"W x 17-1/2"D

Internal Ceiling = Min 58"

Mantle Height = 45"

See page 9 for Dimensional info.

*Safety Screen attached to surround

Deluxe System Only

- Porcelain Panels included

Options and Accessories

See bottom of pages



NOBLE 36

Ce 36 po est pour le personne qui demande le plus de son foyer sans prendre trop de place, C'est le Nobel qu'il lui faut. ... Dire que petit est mieux, la preuve, 26,000 BTU, 36 po de largeur

De cadrage et 15 po de profondeur. Un unité très compact pour toute cette chaleur.

Media: NB 4 Piece Log Set

High 26,000BTU's

Low 18,000BTU's

Framing Dim:

37"H x 38"W x 15"D

Internal Ceiling = Min 52"Min

Mantle Height = 42"Min

See page 9 for Dimensional info.

*Safety Screen built into surround

Deluxe System Only

- Porcelain Panels included

Options and Accessories

See bottom of pages



DELUXE SYSTEM: *Standard for all Limited units/ Option for all Elite units

- Electronic Ignition
- Fan Kit w/ 6 stage adjustable fan control
- Modulation flame control
- Deluxe remote w/7 day programmable thermostat

SURROUND:

Remote



Basic Black



Decorative Black



Decorative Stainless Steel





SELECT 42

C'est un foyer qui est gros et qui a du style. Le foyer Select 42 offre 42 po de pleine vision. Ce foyer arrive complet avec ses panneaux de porcelaine et le « Deluxe System » comme tous nos modèles dans la série « Limited ». Toutefois le Select 42 nous montre nos bûches « Traditional » et notre brûleur remanié qui augmente les flammes. Un foyer qui vous offre Plein la vue.

Media: Traditional Log Set

High 38,000BTU's
Low 27,000BTU's

Framing Dim:
39"H x 68-1/4"W x 17-1/2"D
Internal Ceiling = Min 58"
Mantle Height = 45"

See page 10 for Dimensional info.

*Safety Screen attached to surround

Deluxe System Only
- Porcelain Panels included

Options and Accessories
See bottom of pages

OD2000 LINEAR OUTDOOR

Réchauffer votre patio extérieur ou cour arrière en maximisant votre expérience à l'extérieur Avec le foyer OD2000 Linéaire 45. Avec 40,000 BTU, ce style moderne réchauffera votre cœur Et votre extérieur.

Le OD2000 est fabriqué entièrement en stainless. Pour une installation plus facile, l'unité est « Vent Free » sans évacuation. Le couvercle en stainless (incl us) protège votre foyer entre vos utilisations.

Media: Black Glass and Grey Pebbles

High 38,000BTU's
Low 27,000BTU's

Framing Dim:
39"H x 68-1/4"W x 17-1/2"D
Internal Ceiling = Min 58"
Mantle Height = 45"

See page 10 for Dimensional info.

*CERTIFIED for wood fuming

Options and Accessories
See bottom of pages



MEDIA ACCESSORIES




GRAND

VERRE ET CAILLOUX

Le seul encastrable englobant la technologie la plus récente disponible incluant un boîtier Électronique complet. Tous les encastrables sont disponibles avec un allumeur électronique Et le choix de deux systèmes pour mieux répondre à toutes les applications Deluxe ou Premier.

Min Clearances:



- Deluxe System -- 110V
- Premier System -- Batterie

*Safety Screen attached to the unit.

Grand

High: 26,000BTU's
Low: 13,000BTU's




CHAMPION

HD ENSEMBLE DE BUCHES

Les encastrables GRAND et CHAMPION vous offrent la visualisation au maximum avec leur pleine vision.

Le système Deluxe avec sa manette thermostatique programmable 7 jours et 7 niveaux de modulation pour la flamme. Le système de luxe compte aussi 6 niveaux de modulation de ventilateur pour vous offrir une chaleur radiante et à convection dans le même foyer.

Min Clearances:



- Deluxe System -- 110V
- Premier System -- Batterie

*Safety Screen attached to the unit.

Champion

High: 26,000BTU's
Low: 13,000BTU's

DELUXE SYSTEM: *Standard for all Limited units/ Option for all Elite units

- Electronic Ignition
- Fan Kit w/ 6 stage adjustable fan control
- Modulation flame control
- Deluxe remote w/7 day programmable thermostat

SURROUND:

Remote



Basic Black



Decorative Black



Decorative Stainless Steel



BL 936

Voici un foyer unique le BL936! Un vrai 36 po linéaire avec son style moderne, sa flamme et son contour. Et maintenant le BL936 est de loin le foyer linéaire le plus étroit avec seulement 8 ¾ po de profondeur de cadrage. Si vous cherchez à économiser de l'espace en restant contemporain, voici votre foyer.

Media: Black Glass

High 15,500BTU's
 Low 11,000BTU's
 Framing Dim:
 32-1/2"H x 36"W x 8-3/4"D
 Internal Ceiling = Min 38"
 Mantle Height = Non Required
 See page 9 for Dimensional info.
 *Safety Screen built into surround

Options and Accessories
 See bottom of pages



DIMENSIONAL CHART AND FEATURES



Model	BTU's		Vent	Height		Width		Depth		Viewing Area		Efficiency EnerGuide
	Natural Gas			Actual	Framing	Actual	Framing	Actual	Framing	Height	Width	
BL 936	Hi	15,500	Top/Rear 3" & 6"	28"	32-1/2"	34-3/4"	36"	9-1/4"	8-3/4"	12"	29-1/2"	64.91%
	Lo	11,000										

Surround: 22-3/4"H x 39-1/4"W

Standard Features:	Surround:	Options:
<ul style="list-style-type: none"> • Linear Design • 15,500BTU • Standing Pilot • Black Glass Kit • Borosilicate Glass 	<ul style="list-style-type: none"> • Black Surround with safety screen 	<ul style="list-style-type: none"> • Electronic Ignition • Basic Remote • Media Kits • Ceramic Stones • Driftwood • Porcelain Panels

Quality Craftsmanship

Savannah's products are designed with superior components and materials, assembled by trained craftsmen who take great pride in their work. The burner and valve assembly are leak tested and test fired at a quality control test station. Once assembled the complete fireplace is thoroughly inspected by a qualified technician, before packaging, to ensure that you, the customer, receives the quality product that you expect from Savannah.

Savannah shall not be liable for any direct, indirect, consequential or incidental damages about the use of this catalog or any related materials. The information in this catalog is advisory in nature and is subject to change. Savannah may make improvements and changes in the products described in this Catalog without notice. Changes will be periodically made to the information in the new editions. Efforts have been made to ensure that the contents of this Catalog are correct. Should you find any error, Savannah welcomes your comments to improve our communications, please contact Savannah on 1 604 231 8923. Contents of this Catalog are subject to change without prior notice at the discretion of Savannah Heating Products Ltd. This document has been prepared for the use of employees and customers of Savannah and may not be reproduced without the prior, written approval of Savannah Heating Products LTD ..

DIMENSIONAL CHART AND FEATURES



Model	BTU's		Vent	Height		Width		Depth		Viewing Area		Efficiency				
	Natural Gas	Propane		Actual	Framing	Actual	Framing	Actual	Framing	Height	Width		EnerGuide			
BL21	Hi 21,000	20,750	Top	27-1/2"	33-1/2"	34-1/8"	38"	14-13/32"	15-1/2"	15"	32-1/2"	65.10%				
	Lo 13,000	13,000	4" & 7"													
Standard Features:				Surround: (Mandatory)				Options:								
See page 1				<ul style="list-style-type: none"> • Linear Design • Electronic Ignition • White Glass & River Pebble Kit • Tempered Glass 				<ul style="list-style-type: none"> • Basic Black w/Safety Screen • Decorative Black w/Safety Screen • Decorative Stainless w/Safety Screen 				<ul style="list-style-type: none"> • Deluxe System • Remote • Media Kits • Ceramic Stones • Driftwood 				



Model	BTU's		Vent	Height		Width		Depth		Viewing Area		Efficiency				
	Natural Gas	Propane		Actual	Framing	Actual	Framing	Actual	Framing	Height	Width		EnerGuide			
BLST21	Hi 20,000	19,500	Top	27.38"	32"	35.3"	39-1/2"	11.88"	10-7/8"	15"	32-1/2"	63.45%				
	Lo 13,000	13,500	4" & 7"													
Standard Features:				Surround:				Options:								
See page 1				<ul style="list-style-type: none"> • True Clean Face Design • Electronic Ignition • White Glass & River Pebble Kit • Tempered Glass 				<ul style="list-style-type: none"> • Decorative Black • Decorative Stainless 				<ul style="list-style-type: none"> • Deluxe System • Remote • Media Kits • Ceramic Stones • Driftwood 				



Model	BTU's		Vent	Height		Width		Depth		Viewing Area		Efficiency				
	Natural Gas	Propane		Actual	Framing	Actual	Framing	Actual	Framing	Height	Width		EnerGuide			
BCF36	Hi 19,000	17,000	Top	25.5"	32-1/2"	34"	36"	13.5"	13"	16-1/2"	29"	59.64%				
	Lo 13,000	11,000	4" & 7"													
Standard Features:				Surround:				Options:								
See page 2				<ul style="list-style-type: none"> • True Clean Face Design • Standing Pilot • Extended Stainless Steel Burner • Tempered Glass 				<ul style="list-style-type: none"> • Basic Black 3 Sided • Basic Stainless 3 sided 				<ul style="list-style-type: none"> • Deluxe System • Remote 				



Model	BTU's		Vent	Height		Width		Depth		Viewing Area		Efficiency				
	Natural Gas	Propane		Actual	Framing	Actual	Framing	Actual	Framing	Height	Width		EnerGuide			
DCF42	Hi 30,000	29,000	Top	36"	43"	40-3/4"	45-3/4"	17-1/2"	19-1/2"	23-1/2"	34-1/4"	67.15%				
	Lo 22,000	19,000	4" & 7"													
Standard Features:				Surrounds:				Options:								
See page 2				<ul style="list-style-type: none"> • True Clean Face Design • Electronic Ignition • West Coast Log Set • Tempered Glass 				<ul style="list-style-type: none"> • Basic Black 3 Sided • Basic Stainless 3 Sided 				<ul style="list-style-type: none"> • Remote • Deluxe System 				

DIMENSIONAL CHART AND FEATURES



Model	BTU's		Vent	Height		Width		Depth		Viewing Area		Efficiency
	Natural Gas	Propane		Actual	Framing	Actual	Framing	Actual	Framing	Height	Width	EnerGuide
Essence 45	Hi 30,000	27,000	Top	29.86"	39"	44-1/4"	48-1/4"	14-1/2"	16-1/2"	16-1/2"	42"	69.50%
	Lo 22,000	19,500	4" & 7"									
See page 3	Standard Features:			Surrounds: (Mandatory)				Options:				
	• Linear Design			• Basic Black Surround w/Safety Screen				• Driftwood & Media Kit				
	• Full Deluxe System			• Decorative Black Surround w/Safety Screen								
	• Porcelain Liner			• Decorative Stainless Surround w/Safety Screen								
	• Ceramic Glass											
	• Dual Stainless Steel Pan Burner											
• Black Glass and Grey Pebble Kit												



Model	BTU's		Vent	Height		Width		Depth		Viewing Area		Efficiency
	Natural Gas	Propane		Actual	Framing	Actual	Framing	Actual	Framing	Height	Width	EnerGuide
Pinnacle 55	Hi 36,000	32,000	Top	29.86"	39"	54.29"	58-1/2"	14-1/2"	17-1/2"	18-1/2"	52-3/4"	68.75%
	Lo 21,250	26,000	4" & 7"									
See page 3	Standard Features:			Surrounds: (Mandatory)				Options:				
	• Linear Design			• Basic Black w/Safety Screen				• Driftwood				
	• Full Deluxe System			• Decorative Black w/Safety Screen				• Media Kits				
	• Porcelain Liner			• Decorative Stainless w/Safety								
	• Ceramic Glass											
	• Dual Stainless Steel Pan Burner											
• Black Glass & Grey Pebble Kit												



Model	BTU's		Vent	Height		Width		Depth		Viewing Area		Efficiency
	Natural Gas	Propane		Actual	Framing	Actual	Framing	Actual	Framing	Height	Width	EnerGuide
Summit 65	Hi 38,000	38,000	Top	29.86"	39"	64-1/4"	68-1/4"	14-1/2"	17-1/2"	18-1/2"	62-3/4"	69.10%
	Lo 27,000	26,000	4" & 7"									
See page 4	Standard Features:			Surrounds: (Mandatory)				Options:				
	• Linear Design			• Clean Face Black w/Safety Screen				• Driftwood				
	• Full Deluxe System			• Basic Black w/Safety Screen				• Media Kits				
	• Porcelain Liner											
	• Borosilicate Glass											
	• Dual Stainless Steel Pan Burner											
• Black Glass & Grey Pebble Kit												



Model	BTU's		Vent	Height		Width		Depth		Viewing Area		Efficiency
	Natural Gas	Propane		Actual	Framing	Actual	Framing	Actual	Framing	Height	Width	EnerGuide
Noble 36	Hi 26,000	26,000	Top	28-1/2"	37"	39-1/2"	38"	13"	15"	16-1/2"	29"	65.80%
	Lo 18,000	18,000	4" & 7"									
See page 4	Standard Features:			Surrounds:				Options:				
	• Clean Face Design			• Included on unit				• Remote				
	• Full Deluxe System							• Deluxe System				
	• Porcelain Liner											
	• Ceramic Glass											
	• 4 pc Traditional Log Set											

DIMENSIONAL CHART AND FEATURES



Model	BTU's		Vent	Height		Width		Depth		Viewing Area		Efficiency
	Natural Gas	Propane		Actual	Framing	Actual	Framing	Actual	Framing	Height	Width	
Select 42	Hi 30,000	29,000	Top	36"	43"	40-3/4"	45-3/4"	17-1/2"	19-1/2"	23-1/2"	34-1/4"	67.15%
	Lo 22,000	19,500	4" & 7"									

Standard Features:				Surrounds:				Options:				
See page 5	• Clean Face Design				• Included on unit				• Remote			
	• Full Deluxe System								• Deluxe System			
	• Porcelain Liner											
	• Ceramic Glass											
	• 4 pc Traditional Log Set											



Model	BTU's		Vent	Height		Width		Depth		Viewing Area		Efficiency
	Natural Gas	Propane		Actual	Min	Actual	Min	Actual	Min	Height	Width	
Insert	Hi 26,000	23,000	Top	20.049"	20-1/4"	30.129"	27"	18.215"	16-1/4**	16"	25"	68.30%
	Lo 13,000	16,500	3" & 3"									

Standard Features:				Surrounds:				Options:				
See page 6	• Clean Face Design				• Included on unit				• Remote			
	• Full Deluxe System								• Deluxe System			
	• Porcelain Liner											
	• Ceramic Glass											
	• 4 pc Traditional Log Set											



Model	BTU's		Vent	Height		Width		Depth		Viewing Area		Efficiency
	Natural Gas	Propane		Actual	Framing	Actual	Framing	Actual	Framing	Height	Width	
OD2000	Hi 40,000	32,500	Vent-less	25"	31"	43-1/8"	47-3/8"	14"	16"			
	Lo 29,000	24,000										

Standard Features:				Surrounds:				Options:				
See page 5	• Clean Face Design				• Included on unit				• Remote			
	• Full Deluxe System								• Deluxe System			
	• Porcelain Liner											
	• Ceramic Glass											
	• 4 pc Traditional Log Set											



Quality is in the Flame



www.savannahheating.com

